

**STUDY OF THE BIOECOLOGICAL CHARACTERISTICS OF MEDICINAL  
ASTRAGALUS (*ASTRAGALUS L.*)**

**ERKIN JURAYEV BAXTIYORIVICH**

TERMIZ DAVLAT MUHANDISLIK VA AGROTEXNOLOGIYALAR  
UNIVERSITETI q.x.f.d dotsent

**HAYDAROVA GULASAL KURBONOVNA**

STUDENT OF TERMEZ STATE UNIVERSITY OF ENGINEERING AND  
AGROTECHNOLOGIES

**Abstract:** Astragalus (*Astragalus L.*), a representative of the Fabaceae family, is one of the most widespread medicinal plant genera known for its rich biological and ecological properties. This article focuses on the bioecological characteristics of Astragalus, including its natural distribution, ecological adaptability, environmental requirements, and growth patterns under different climatic and soil conditions. The study also analyzes the chemical composition of the plant, particularly its content of flavonoids, saponins, alkaloids, and polysaccharides, which are responsible for its medicinal effects. Astragalus is known for its immunomodulatory, anti-inflammatory, and cardioprotective properties, as well as its ability to enhance overall physiological resistance. Furthermore, the research highlights the plant's ecological flexibility and its capacity to adapt to various environmental conditions. The findings suggest that Astragalus has significant potential for application in modern pharmacology and phytotherapy due to its high biological activity and устойчивость к внешним факторам.

**Keywords:** Astragalus, *Astragalus L.*, bioecology, medicinal plant, flavonoids, saponins, ecological adaptation, phytotherapy, biologically active compounds, immunity

**ИЗУЧЕНИЕ БИОЭКОЛОГИЧЕСКИХ ОСОБЕННОСТЕЙ  
ЛЕКАРСТВЕННОГО АСТРАГАЛА (*ASTRAGALUS L.*)**

**ЭРКИН ЖҰРАЕВ БАХТИЁРОВИЧ**

ТЕРМИЗ ДАВЛАТ МУҲАНДИСЛИК ВА АГРОТЕХНОЛОГИЯЛАР  
УНИВЕРСИТЕТИ Қ.Х.Ф.Д., ДОЦЕНТ.

**ХАЙДАРОВА ГУЛАСАЛ КУРБОН КИЗИ**

**СТУДЕНТКА ТЕРМЕЗСКОГО ГОСУДАРСТВЕННОГО УНИВЕРСИТЕТА  
ИНЖЕНЕРИИ И АГРОТЕХНОЛОГИЙ**

**Аннотация:** Астрагал (*Astragalus L.*), относящийся к семейству бобовых (Fabaceae), является одним из широко распространённых лекарственных растений, обладающих ценными биологическими свойствами. В данной статье рассматриваются биоэкологические особенности астрагала, включая его ареал распространения, экологическую адаптацию, требования к климатическим и почвенным условиям, а также особенности роста и развития. В ходе исследования проанализирован химический состав растения, включая содержание флавоноидов, сапонинов, алкалоидов и полисахаридов, которые определяют его лекарственные свойства. Установлено, что астрагал обладает иммуномодулирующим, противовоспалительным и общеукрепляющим действием, а также оказывает положительное влияние на сердечно-сосудистую систему. Кроме того, в статье освещены особенности экологической устойчивости растения и его способность адаптироваться к различным условиям среды. Полученные результаты свидетельствуют о высокой перспективности использования астрагала в фармакологии и фитотерапии.

**Ключевые слова:** Астрагал, *Astragalus L.*, биоэкология, лекарственное растение, флавоноиды, сапонины, экологическая адаптация, фитотерапия, биологически активные вещества, иммунитет

**DORIVOR ASTRAGAL (ASTRAGALUS L) O'SIMLIGINI  
BIOEKOLOGIASINI O'RGANISH****HAYDAROVA GULASAL QURBON QIZI****TERMIZ DAVLAT MUHANDISLIK VA AGROTEXNOLOGIYALAR  
UNIVERSITETI TALABASI**

**Annotatsiya:** Astragal (*Astragalus L.*) turkumi dukkakdoshlar (Fabaceae) oilasiga mansub bo'lib, dorivor o'simliklar orasida keng tarqalgan va boy biologik xususiyatlari bilan ajralib turadi. Ushbu maqolada Astragal o'simligining bioekologik xususiyatlari, ya'ni uning tabiiy tarqalish areali, ekologik moslashuvchanligi, iqlim va tuproq omillariga nisbatan talabchanligi hamda vegetativ rivojlanish bosqichlari keng o'rganilgan. Tadqiqot davomida o'simlikning biologik faol moddalari, jumladan flavonoidlar, saponinlar, alkaloidlar va polisaxaridlarning tarkibi tahlil qilinib, ularning

dorivor ahamiyati ilmiy jihatdan asoslab berildi. Astragal o'simligi immunitetni mustahkamlash, yallig'lanishga qarshi ta'sir ko'rsatish, yurak-qon tomir tizimini qo'llab-quvvatlash hamda organizmni umumiy tonusini oshirish xususiyatlari bilan ajralib turadi. Maqolada shuningdek, ushbu o'simlikning bioekologik moslashuvi va uning turli ekologik sharoitlarda o'sish dinamikasi o'rganilib, uni farmatsevtika va fitoterapiyada qo'llash istiqbollari yoritilgan. Olingan natijalar Astragal turkumining dorivor va ekologik ahamiyati yuqori ekanligini ko'rsatadi.

**Kalit so'zlar:** Astragal, *Astragalus L.*, bioekologiya, dorivor o'simlik, flavonoidlar, saponinlar, ekologik moslashuv, fitoterapiya, biologik faol moddalar, immunitet

## Introduction

Medicinal plants have long served as an essential source of therapeutic agents in both traditional and modern healthcare systems. Their natural origin, biological diversity, and relatively low toxicity have made them increasingly attractive in the development of alternative and complementary treatments. In recent years, scientific interest in plant-based medicines has significantly increased, particularly in the context of growing global health challenges and the need for sustainable natural resources. Among such plants, the genus *Astragalus L.* occupies a prominent position due to its wide distribution, ecological adaptability, and rich composition of biologically active compounds. *Astragalus L.*, belonging to the Fabaceae family, is one of the largest genera of flowering plants, comprising more than 2,500 species distributed across temperate regions of the Northern Hemisphere. Many species of *Astragalus* are known for their medicinal value and have been widely used in traditional medicine systems, particularly in Asian countries. These plants are characterized by their ability to thrive in diverse ecological conditions, including arid, semi-arid, and mountainous environments, which highlights their high level of ecological plasticity and adaptability. The bioecological characteristics of *Astragalus L.* play a crucial role in determining its distribution, growth patterns, and accumulation of active compounds. Environmental factors such as soil composition, temperature, moisture availability, and altitude significantly influence the plant's physiological processes and biochemical profile. Understanding these bioecological aspects is essential not only for the conservation of natural populations but also for the рациональное использование данного растения в медицине и фармакологии. In addition to its ecological

significance, *Astragalus L.* is known for its diverse chemical composition, including flavonoids, saponins, polysaccharides, and alkaloids.

These compounds are responsible for a wide range of pharmacological effects, such as immunomodulatory, anti-inflammatory, antioxidant, and cardioprotective activities. As a result, *Astragalus* has gained considerable attention in modern phytotherapy and pharmaceutical research as a promising natural source of biologically active substances. Despite the extensive traditional use of *Astragalus*, many aspects of its bioecology and biological activity remain insufficiently studied, particularly under specific regional environmental conditions. Therefore, a comprehensive investigation of its ecological adaptability, growth dynamics, and chemical composition is necessary to fully раскрыть его потенциал и расширить возможности его практического применения. This study aims to explore the bioecological characteristics of *Astragalus L.*, analyze its adaptation to environmental factors, and evaluate its potential as a medicinal plant. By integrating ecological observations with biochemical analysis, the research seeks to contribute to a deeper understanding of this genus and its importance in both natural ecosystems and human health.

### Materials and methods

The study of the bioecological characteristics of *Astragalus L.* was carried out using an integrated research approach combining field observations, laboratory analysis, and comparative evaluation. Plant samples were collected from natural habitats in different ecological zones, including semi-arid and steppe regions. The selection of sites was based on variations in soil composition, altitude, and climatic conditions in order to assess the adaptability of the species to diverse environments. Field studies included the observation of growth stages, phenological development, and morphological features of the plant. Parameters such as plant height, leaf structure, root system development, and flowering period were recorded. Soil samples from each location were also collected and analyzed to determine pH level, moisture content, and mineral composition, which are key factors influencing plant growth.

Laboratory analysis was conducted to identify the chemical composition of *Astragalus L.* Standard phytochemical methods were applied to detect the presence of flavonoids, saponins, alkaloids, and polysaccharides. Quantitative analysis was performed using spectrophotometric and chromatographic techniques. To evaluate ecological adaptability, the plant's tolerance to environmental stress factors such as

drought and temperature fluctuations was analyzed. Additionally, a comparative analysis of literature sources was conducted to support and validate the experimental findings. Statistical methods were used to process the collected data and ensure the accuracy and reliability of the results.

## **Results**

The results of the study demonstrated that *Astragalus L.* exhibits a high level of ecological adaptability and resilience under varying environmental conditions. The plant was found to successfully grow in soils with low moisture content and moderate mineral availability, indicating its tolerance to semi-arid climates. Field observations showed that the plant's root system is well-developed, allowing efficient absorption of water and nutrients even under limited conditions. Phenological analysis revealed that the growth cycle of *Astragalus L.* is closely linked to seasonal climatic changes. The plant begins active vegetative growth in early spring, followed by flowering in late spring or early summer, depending on environmental factors such as temperature and precipitation. Phytochemical analysis confirmed the presence of biologically active compounds, including flavonoids, saponins, and polysaccharides, in significant amounts. These compounds are known to contribute to the plant's medicinal properties. In particular, a high concentration of saponins and flavonoids suggests strong antioxidant and anti-inflammatory potential. The study also revealed that environmental factors such as soil type and climate conditions influence the accumulation of bioactive compounds. Plants growing in more stressful conditions, such as drought-prone areas, showed higher concentrations of certain secondary metabolites, indicating a possible adaptive mechanism.

## **Discussion**

The findings of this study confirm that *Astragalus L.* is a highly adaptable plant species with significant ecological and medicinal value. Its ability to survive and develop in harsh environmental conditions highlights its ecological plasticity and potential for cultivation in regions with limited natural resources. The observed relationship between environmental stress and the increased production of secondary metabolites is consistent with previous scientific studies. This suggests that stress conditions may stimulate the synthesis of bioactive compounds, thereby enhancing the plant's medicinal properties. Such characteristics make *Astragalus L.* a valuable candidate for further pharmacological research. The presence of flavonoids and

saponins, which are known for their antioxidant and anti-inflammatory effects, supports the traditional use of *Astragalus* in herbal medicine. These compounds play a crucial role in protecting the body against oxidative damage and inflammation, which are key factors in many chronic diseases. Furthermore, the plant’s well-developed root system and efficient resource utilization indicate its potential for sustainable agricultural practices, especially in arid and semi-arid regions. This makes *Astragalus L.* not only important from a medicinal perspective but also valuable for ecological conservation and land management. However, despite these promising results, further research is necessary to fully understand the mechanisms underlying the plant’s bioecological adaptation and pharmacological activity. Future studies should focus on clinical trials, detailed biochemical pathways, and the development of standardized extraction and application methods. In conclusion, *Astragalus L.* represents a promising medicinal plant with strong ecological adaptability and significant potential for use in modern phytotherapy and sustainable agriculture.

**Table. Bioecological characteristics and medicinal properties of *Astragalus L.***

Parameter	Description	Ecological role	Medicinal significance
Habitat	Semi-arid, steppe, and mountainous regions	Adaptation to drought and poor soils	Ensures availability in diverse environments
Root system	Deep and well-developed	Efficient water and nutrient absorption	Supports plant survival and active compound synthesis
Growth cycle	Spring vegetative growth, early summer flowering	Seasonal adaptation	Determines optimal harvesting time
Soil preference	Light, well-drained soils with moderate minerals	Enhances ecological flexibility	Influences concentration of bioactive compounds
Flavonoids	High content	Protection against environmental stress	Antioxidant and anti-inflammatory effects

Saponins	Significant amount	Defense mechanism	Immunomodulatory and cardioprotective properties
Polysaccharides	Present	Energy storage	Enhances immune response
Environmental Adaptation	High tolerance to drought and temperature changes	Stability in harsh climates	Increases medicinal value under stress conditions

### Conclusion

The study confirms that *Astragalus L.* is a highly valuable medicinal plant with significant bioecological adaptability. Its ability to grow under diverse and often harsh environmental conditions demonstrates strong ecological resilience and plasticity. This adaptability allows the plant to survive in semi-arid and low-nutrient soils, making it an important species for both natural ecosystems and potential agricultural use. The phytochemical analysis revealed that *Astragalus L.* contains a wide range of biologically active compounds, including flavonoids, saponins, and polysaccharides. These compounds are responsible for its medicinal properties, particularly its antioxidant, anti-inflammatory, and immunomodulatory effects. The study also shows that environmental stress factors can enhance the production of these secondary metabolites, thereby increasing the plant's therapeutic potential. Furthermore, the relationship between ecological conditions and the accumulation of bioactive substances highlights the importance of environmental factors in determining the quality and effectiveness of medicinal plants. This makes the study of bioecology essential for the rational use and cultivation of *Astragalus L.* In conclusion, *Astragalus L.* represents a promising natural resource for modern phytotherapy and pharmacology. Its ecological adaptability, combined with its rich chemical composition, makes it a valuable candidate for further scientific research, sustainable cultivation, and practical application in medicine.

### References:

1. Abdukarimov A.A. Medicinal Plants and Their Biological Properties. – Tashkent: Fan, 2020. – 256 p.

2. Rasulov B.B. Fundamentals of Phytotherapy. – Tashkent: National University of Uzbekistan Press, 2021. – 312 p.
3. Karimov Sh.X. Plant Chemistry and Medicinal Properties. – Tashkent: Ilm Ziyoy, 2019. – 284 p.
4. To‘xtayev A.T. Botany (for Higher Education Institutions). – Tashkent: O‘qituvchi, 2022. – 368 p.
5. Xolmatov Q.X. Fundamentals of Pharmacognosy. – Tashkent: Ibn Sino Publishing House, 2020. – 240 p.
6. Yuldashev N.N. Resources of Medicinal Plants. – Tashkent: Fan va texnologiya, 2021. – 276 p.
7. Sobirov M.S. Biologically Active Compounds and Their Importance. – Tashkent: Universitet, 2019. – 198 p.
8. Jo‘rayev D.R. Biology of Agricultural Plants. – Tashkent: Mehnat, 2022. – 305 p.
9. Tursunov O.U. Plant Physiology and Biochemistry. – Tashkent: Fan, 2020. – 290 p.
10. Ismoilov S.A. Healthy Nutrition and Medicinal Plants. – Tashkent: Yangi asr avlodi, 2021. – 220 p.
11. Abdullayev R.T. Natural Medicines and Their Application. – Tashkent: Fan va texnologiya, 2022. – 310 p.
12. Qodirov E.K. Fundamentals of Phytochemistry. – Tashkent: O‘zbekiston, 2019. – 265 p.
13. Mirzayev H.A. Technology of Using Medicinal Plants. – Tashkent: Fan, 2021. – 288 p.